Public Health Service
Centers for Disease Control
and Prevention (CDC)
Memorandum

DEPARTMENT OF HEALTH & HUMAN SERVICES

Date: May 25, 2007

From: WHO Collaborating Center for
Research, Training and Eradication of Dracunculiasis

MINISTERS OF ENDEMIC COUNTRIES MEET AT WORLD HEALTH ASSEMBLY; WHO DIRECTOR GENERAL URGES ERADICATION OF GUINEA WORM AND POLIO.

About 50 persons, including representatives of all nine Guinea worm

Table 1 compares the impact of the recent explosion of cases in Savelugu-Nanton District with progress in the rest of Ghana: increases of 177% and 320% in 2006 and so far in 2007, compared to reductions of -17% and -46%. Over

SOUTH SUDAN BUILDING ON 2006 INTERVENTIONS

As illustrated in Figure 2, during 2006 the South Sudan Guinea Worm Eradication Program (SSGWEP) established 14 sub-offices and 43 storage facilities throughout the endemic counties of affected states. The SSGWEP also trained 10,745 volunteers for 3,137 endemic villages, distributed over 3 million cloth and pipe filters (47% and 22% coverage of endemic villages respectively), applied ABATE@ Larvicide in 6% of endemic villages, and received 29 vehicles. The impact of these interventions may begin to be seen during this year's peak transmission season, which is just beginning. The SSGWEP will hold the first meeting of the Interagency Task Force in Juba during late May.

Table 2

SOUTH SUDAN GUINEA WORM ERADICATION PROGRAM

PARAMETERS	2005	2006
Endemic Villages	1,085	3,137
Villages under surveillance	9,834	19,152
Cases of GWD	5,569	20,582
Village Volunteers	1,000	10,745
Area Supervisors	150	896
Field Officers	6	87
State GW Coordinators	0	6
Technical Advisors	7	16
Stores	0	43
Sub-offices	0	14
SSGWEP/TCC Secretariat Compound	0	1
Vehicles	2	29

IN BRIEF

Ethiopia has reported zero indigenous cases during the last 10 consecutive months, but the southern Sudan Guinea Worm Eradication Program reported 2 cases of dracunculiasis imported from Ethiopia in December 2006 and two additional cases in January 2007. All four persons were of Sudanese origin, but had been residents in the Gambella Region of Ethiopia during the preceding year. The presumption is that these persons became infected in the Gambella Region of Ethiopia, but it is uncertain where these were actually infected. The Ethiopian Dracunculiaiss Eradication Program has had difficulty for quite some time in accessing all of the endemic areas of Gambella because of insecurity. These imported cases raise doubts about the status of dracunculiasis in Ethiopia and a comprehensive assessment of the extent of dracunculiasis in all areas of Gambella Region is now warranted.

DONATIONS

The Howard G. Buffett Foundation has contributed $1 million to The Carter Center in support of the Sudan Guinea Worm Eradication Program. These funds will be used in southern Sudan, and also complete the challenge grant awarded to The Carter Center for Guinea worm eradication from the Bill & Melinda Gates Foundation.

Figure 4

Number of Indigenous Cases Reported During the Specified Period in 2006 and 2007*, and Percent Change in Cases Reported

Country	Indigenous Cases Reported	
	2006	2007
Togo (4)	5	0
Mali (4)	4	1
Sudan (4)	2703	793
Ethiopia (4)	0	0
Burkina Faso (4)	0	0
Cote d'Ivoire (4)	0	0
Niger (4)	3	3
Ghana (4)	2063	2532
Nigeria (4)	14	42
Total	4792	3371
All countries, excluding Sudan and Ghana	26	46



Overall % change outside of Sudan = 23%

(4) Indicates months for which reports were received, i.e., Jan. - Apr.

* Provisional

Table 4

List of Guinea Worm Cases and Interventions Against Transmission: 2007 (except Sudan & Ghana) (continued on next page)

Case #	Age	Sex	Ethnic Group	Profession	Village	District	Region	Date				Dectected <24 hrs? (Yes / No)	Water Contaminated? (Yes / No)	ABATE Applied? (Yes / No)	Case Contained? (Yes / No)	Admitted to a Case Containment Center? (Yes / No)	Patient had Guinea worm last year? (Yes / No)	Imported Case? (Yes / No)	

List of Guinea Worm Cases and Interventions Against Transmission: 2007 (except Sudan & Ghana) Cont.

Case #	Age	Sex	Ethnic Group	Profession	Village	District	Region	Date				Dectected <24 hrs? (Yes / No)	Water Contained? (Yes / No)	ABATE Applied? (Yes / No)	Case Contained? (Yes / No)	Admitted to a Case Containment Center? (Yes / No)	Patient had Guinea worm last year? (Yes / No)

Voggu and Singa) which collectively reported a total of 353 cases in 2006 and have reported 89 cases through March 2007. Wantugu was the third highest endemic community in Ghana in 2006, reporting 236 cases that year.

Ghana's program also signed an agreement with the Japan International Cooperation Agency (JICA) for $25,410 to pay for meetings of village volunteers during 2007.

RECENT PUBLICATIONS

WHO, 2007. Dracunculiasis eradication-global surveillance summary, 2006. Wkly Epidemiol Rec 82:133-140

WHO, 2007. Dracunculiasis eradication: certification of interruption of transmission. Wkly Epidemiol Rec 82: 161-163

Mastony C, 2007. Doctor Without Borders. Chicago Tribune Magazine. May 13; pp2, 10-16, 26-27. May 12, 2007 www.chicagotribune.com/guineaworm

OBITUARY

With great regret we announce the passing of Richard Paul Delaney on April 10, 2007 at his home in Lebanon, New Hampshire after a long illness. Richard joined The Carter Center in 1991 and was The Carter Center's first Resident Technical Advisor to