DEPARTMENT OF HEALTH & HUMAN SERVICES

Public Health Service
Centers for Disease Control
and Prevention (CDC)

Memorandum

Date: September 12, 2011

From: WHO Collaborating Center for
Research, Training and Eradication of Dracunculiasis

Subject: GUINEA WORM WRAP-UP #207

To: Addressees

Detect every case! Contain every worm! Trace every source!
Number of uncontained cases in January-August 2011
South Sudan: 231 Chad: 5 Mali: 5 Ethiopia: 1

SOUTH SUDAN: SHARP DECLINE IN CASES IN JUNE, JULY, AUGUST

The South Sudan Guinea Worm Eradication Program (SSGWEP) recorded its most dramatic progress yet during this year's peak months of transmission, with reductions in reported cases of 25%, 71% and 86% for an overall reduction of 76% in June, July and August (Figure 1). This follows an overall increase in cases of 24% during January-May 2011. 78% of South Sudan's cases so far this year are reported from only two counties in Eastern Equatoria state: Kapoeta East (561 cases) and Kapoeta North (146 cases) (Figure 2, Table 2). South Sudan has contained 75% of its cases in January-August, compared to 74% contained during January-August 2010. Of the 944 cases reported in January-August, 530 (56%) were contained in a case containment center.

Figure 1



The SSGWEP held its latest Task Force meeting on August 24, as scheduled. Key outcomes included a proposal to hold a multi-stakeholder forum with the SSGWEP, state authorities and donors in Kapoeta Town during the first week of October to advocate for safe water needs in greater Kapoeta. The Task Force also highlighted the need to improve coordination between the state governments, SSGWEP staff, the Ministry of Water and Irrigation, and drilling contractors to ensure boreholes are drilled in endemic villages requiring safe water. The SSGWEP was also charged to meet with staff of the Integrated Disease Surveillance and Reporting (IDSR) system to discuss the status of surveillance in Guinea worm-free areas, and to update the minister of health on the status of Guinea worm eradication, including the impact of insecurity on program operations. The next Task Force meeting will be held on September 30. Dr. Ernesto Ruiz-Tiben and Mr. Craig Withers of The Carter Center attended the mid-year review of the SSGWEP in Kapoeta Town on Augurst 17-18, after which Dr. Ruiz made a supervisory visit to Abuyong Payam, in Awerial County of Lakes State on August 20-22 and attended the Task Force meeting in Juba on August 24.

Of the 100-plus boreholes promised for villages with endemic Guinea worm disease at the beginning of 2011, 54 were allocated to

from GW-free areas; none was confirmed as GWD. The GOSS does not offer a cash reward for reporting cases of GWD. (Map 1).

With its latest gains, the Republic of South Sudan is coming within striking distance of its goal of stopping all transmission by the end of 2012. Ensuring sufficiently sensitive surveillance for GWD in Guinea worm-

Table 2

South Sudan Guinea Worm Eradication Program

Cases Reported and Contained During 2011* by State, County and Month

State	County	Cases Contained / Cases Reported												% Contain
		Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sept	Oct	Nov	Dec	Total	
Eastern Equatoria	Kapoeta East	3 / 4	32 / 39	76 / 96	96 / 115	133 / 154	76 / 100	32 / 39	11 / 14	/	/	/	/	459 / 561	82%
	Kapoeta North	0 / 0	12 / 14	18 / 27	30 / 35	26 / 31	20 / 24	8 / 13	2 / 2	/	/	/	/	116 / 146	79%
	Kapoeta South	0 / 0	0 / 0	0 / 1	6 / 11	10 / 11	4 / 8	0 / 0	1 / 1	/	/	/	/	21 / 32	66%
	Torit	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
STATE TOTAL		3 / 4	44 / 53	94 / 124	132 / 161	169 / 196	100 / 132	40 / 52	14 / 17	/	/	/	/	596 / 739	81%
Warrab	Tonj North	1 / 1	0 / 0	1 / 1	2 / 2	4 / 4	8 / 13	4 / 8	9 / 11	/	/	/	/	29 / 40	73%
	Tonj East	0 / 0	0 / 0	0 / 0	0 / 0	3 / 4	7 / 9	13 / 15	1 / 3	/	/	/	/	24 / 31	77%
	Tonj South	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	1 / 1	3 / 4	3 / 3	/	/	/	/	8 / 9	89%
	Gogrial East	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 8	1 / 1	/	/	/	/	2 / 9	0%
	Gogrial West	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
	Twic Mayardit	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
STATE TOTAL		1 / 1	0 / 0	1 / 1	2 / 2	8 / 9	16 / 23	21 / 35	14 / 18	/	/	/	/	63 / 89	71%
Lakes	Awerial	0 / 0	0 / 0	1 / 1	2 / 2	1 / 4	12 / 13	7 / 11	2 / 3	/	/	/	/	25 / 34	74%
	Cuibet	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
	Yirol E.	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
	Yirol W.	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
	Maper	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
	Rumbek Centre	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
	Rumbek East	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
STATE TOTAL		0 / 0	0 / 0	1 / 1	2 / 2	1 / 4	12 / 13	7 / 11	2 / 3	/	/	/	/	25 / 34	74%
Central	Terekeka	1 / 1	1 / 1	1 / 1	0 / 0	1 / 3	0 / 1	0 / 1	0 / 0	/	/	/	/	4 / 8	50%
	Juba	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	/	/	/	/	1 / 1	0%
TOTAL		1 / 1	1 / 1	1 / 1	0 / 0	1 / 3	0 / 1	1 / 2	0 / 0	/	/	/	/	5 / 9	56%
Jonglei	Pibor	0 / 0	5 / 6	5 / 10	1 / 9	7 / 36	2 / 5	0 / 0	2 / 3	/	/	/	/	22 / 69	32%
	Nyriol	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	/	/	/	/	0 / 0	0%
	Ayod	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
	Wuror	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0%
TOTAL		0 / 0	5 / 6	5 / 10	1 / 9	7 / 36	2 / 5	0 / 0	2 / 3	/	/	/	/	22 / 69	32%
Western	Jur River	0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 2	1 / 1	/	/	/	/	2 / 4	50%
TOTAL		0 / 0	0 / 0	0 / 0	0 / 0	1 / 1	0 / 0	0 / 2	1 / 1	/	/	/	/	2 / 4	50%
SOUTHERN SUDAN TOTAL		5 / 6	50 / 60	102 / 137	137 / 174	187 / 249	130 / 174	69 / 102	33 / 42	/	/	/	/	713 / 944	76%
% CONTAINED		83%	83%	74%	79%	75%	75%	68%	79%					76%	

*Provisional

Map 1

South Sudan Guinea Worm Eradication Program
Geographical Areas of Surveillance for GOSS / WHO and GOSS / TCC

Table 3

Number of Cases Contained and r of Ca6 13(of)(a)-1po(6 13a)-1(d a)-1(by)40(M)-21-8(a)-1(h du(6 13ne)-1(g 2 a)-0 a)-1 a (nta(6 13ne)-1s Coaa6 13(6 13nd r)-gd ane d

	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	1 / 3	1 / 3	2 / 3	/	/	/	/	4 / 9	44
ETHIOPIA^	0 / 0	0 / 0	1 / 2	1 / 1	4 / 4	1 / 1	0 / 0	0 / 0	/	/	/	/	7 / 8	88
CHAD	0 / 0	1 / 1	0 / 0	0 / 1	0 / 0	0 / 0	1 / 2	0 / 3	/	/	/	/	2 / 7	29
GHANA	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	/	/	/	/	0 / 0	0
TOTAL*	5 / 6	51 / 61	103 / 139	138 / 176	191 / 253	132 / 178	71 / 107	35 / 48	0 / 0	0 / 0	0 / 0	0 / 0	726 / 968	75
% CONTAINED														
% CONT. OUTSIDE SUDAN														

* provisional

Shaded cells denote months when zero indigenous cases were reported. Numbers indicate how many imported cases were reported and contained that month.

^ one case of GWD (not contained) was imported into Ethiopia from South Sudan during March.

Number of Cases Contained and Number Reported by Month during 2010 (Countries arranged in descending order of cases in 2009)

NUMBER OF CASES CONTAINED / NUMBER OF CASES REPORTED

	JANUARY	FEBRUARY	MARCH	APRIL	MAY	JUNE	JULY	AUGUST	SEPTEMBER	OCTOBER	NOVEMBER	DECEMBER	TOTAL*	% CONT.
SUDAN	5 / 6	21 / 35	78 / 113	119 / 160	144 / 190	173 / 241	273 / 361	226 / 290	118 / 159	71 / 95	31 / 41	5 / 7	1264 / 1698	74
GHANA	2 / 2	3 / 3	1 / 1	1 / 1	1 / 1	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0IS.0	8 /	
													19 / 21	90
CHAD	0 / 0	0 / 0	0 / 0	0 / 1	0 / 0	0 / 1	0 / 3	0 / 3	0 / 1	0 / 1	0 / 0	0 / 0	0 / 10	0
NIGER^	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	0 / 0	2 / 2	0 / 1	0 / 0	2 / 3	67
TOTAL*	7 / 8	25 / 39	81 / 116	126 / 168	147 / 194	174 / 244	278 / 371	234 / 301	132 / 180	92 / 118	36 / 49	6 / 9	1338 / 1797	74
% CONTAINED														
% CONT. OUTSIDE SUDAN														

^ Ethiiopia reported and imported case from Southern Sudan in June, and Niger reported three imported cases from Mali (2 in October and 1 in November).The origin of cases in Chad is uncertain.

Shaded cells denote months when zero indigenous cases were reported. Numbers indicate how many imported cases were reported and contained ndim 7dndim

Figure 3

Number of Indigenous Cases Reported During the Specified Period in 2010 and 2011*, and Percent Change in Cases Reported

Country	Indigenous Cases Reported	
	2010	2011*
Ghana (8)	8	0
Ethiopia (8)	16	6
South Sudan (8)	1396	944
Mali (8)	13	9
Chad (8)	8	7
Total	1441	966
All countries, excluding Sudan	45	22



* Provisional. Excludes one case imported into Ethiopia from South Sudan in March.
(8) Indicates months for which reports were received, i.e., January - August.

CHAD: 8 CASES REPORTED SO FAR IN 2011

Table 4

													Travel History: Year, Village and District
1**	PDB10-10	Nanguigoto	Nanguigoto	Guelendeng	60	F	April 2010	04 2010 (2 GWs)	April 2010	1-Apr-2010	Yes	No	2008:Mitau Village, Guelendeng District; Bouram Village, Massenia District, and Moulkou Village, Moulkou District
2**	PDB10-9	Nanguigoto	Nanguigoto	Guelendeng	27	F	18-Jun-10	18 June 2010 (1 GW)	19-Jun-2010	23-Jun-2010	Yes	No	2008:Mitau Village, Guelendeng District
3		Matassi	Mouray	Massenya	27	F	20-Aug-10	24-Aug-2010 (1 GW)	12-Sept-2010	24-Aug-2010	Yes	No	2005 and 2009:Matassi Village, Massenya District
4**	PDB10-17	Madjafa and Matassi	Matassi	Dourbali	25	F	24-Aug-10 (2 worms)	10-Aug-10	25-Aug-10	16-Sep-2010	Yes	No	2009:Raihoutou Village, Guelendeng District
5	PDB10-16	Abba Limane since June 2010	Abba Limane	Guelendeng	15	M	24-Aug-10	10-Aug-10 (1 GW) Sep 2010 (1 GW)	30-Aug-2010 and Sept 2010	2-Sept-2010 and Sept 2010	Yes	No	2010:Abba Limane Village, Guelendeng District
6**	PDB10-15	Abourgoui	Abourgui	Massenya	60	M	2-Sep-10	July-2010 (5 GWs??)	13-Sept-10	13-Sept-10	Yes	No	1950s Abourgui Village, Dourbali District
7**	PDB10-19	Moulkou	Moulkou	Guelendeng	4	F	17-Sep-10	17-Sept-2010 (1 worm)	17-Sept-10	23-Sep-2010	Yes	No	2009:Cigague Village, Bousso District
8	PDB10-18	Kakoua	Kakoua	Sarh	9	M	1-Oct-10	1-Oct-2010 (2 worms)	1-Oct-10 and 3-Oct-10	10/11/2010 (both worms)	Yes	No	Kakoua
9		Sila	Sila	Melfi	10	F	31-Jul-10	15-Jul-10 (1 GW) 15-Sept-10 (1GW)	??	22-Sep-2010	Yes	No	??
10		Sila	Sila	Melfi	42	F	15-Sep-10	15-Sept-10 (2worms)	15-Sep-10	22-Spt-10	Yes	No	Maguau Village, Melfi District in 2009
11		Toulomeye-Bardai	Toulomeye-Bardai	Bera	11	F	17-Feb-11	18-Feb-11	18-Feb-11	18-Feb-11	No	Yes	Visited Missere and Gringa Villages in Lai and Bere Districts, Tandjile Region in Nov. 2010.

Table 5

Mali Guinea Worm Eradication Program

Line-Listing of Cases of Guinea Worm Disease and Interventions Against Transmission in Countries Reporting Few Cases: 2011

Case #	Date					# of worms that emerged during this period	Name of		Age	Sex	Ethnic group	Occupation	Probable Origin of infection (name of this village, other village, district or country)
	Worm emerged	Village volunteer began containment	Case & containment confirmed by supervisor	Case declared contained	ABATE used this year (as a result of this case)		Village	District					
1.1*	1-Jun	no	Yes 6/10/2011	no	no	1	Alkite	Kidal	40	M	TB	Herder	Agabo
1.2*	11-Jun	yes	Yes	no	NO	1	Alkite				TB		Agabo
2.1	6/2/2011	no	10 juin	no	no	1	Alkite	Kidal	60	F	TB	Housewife	Agabo
2.2*	6/2/2011	yes	11-Jun	no	no	1	Alkite	Kidal					
3.1	10-Jun	yes	13-Jun	Yes	no	1	Alkite	Kidal	18	F	TB	Herder	Agabo
3.2	16-Jun	yes	16-Jun	Yes	no	1	Alkite	Kidal					
3.3	2-Aug	yes	2-Aug	Yes	no	1	Alkite	Kidal					
4.1	4-Jul	no	4-Jul	no	yes	1	Fangasso	Touminian	55	M	Bobo	Blacksmith	Fangasso
4.2	5-Jul	no	23-Jul	no	yes	1	Fangasso	Touminian			Bobo		Fangasso
4.3	23-Jul	no	24-Jul	no	yes	1	Fangasso	Touminian					Fangasso
4.4	4-Aug	no	4-Aug	no	yes	1	Fangasso	Touminian					Fangasso
5.1	13-Jul	15-Jul	15-Jul	No	yes	1	Fangasso	Touminian	30	F	Bobo	Housewife	Fangasso
5.2	27-Aug	27-Aug	27-Aug	no	yes	1	Fangasso	Touminian					
6.1	29-Jul	29-Jul	29-Jul	yes	yes	1	Alkite	Kidal	17	F	TB	Housewife	Agabo
7.1	3-Aug	3-Aug	3-Aug	yes	yes	1	Alkite	Kidal	49	M	TB	Herder	Agabo
8.1	17-Aug	17-Aug	17-Aug	yes	yes	1	Nanguaye	G.Rharous	32	F	TN	housewife	Nanguaye
9.1	19-Aug	26-Aug	26-Aug	no	yes	1	Nantaga	Mopti	5	M	Songhoi	child	Natanga

1.1* = Serial case # 1 and first Guinea worm that emerged during calendar year.

1.2* = Serial case # 1 and second Guinea worm that emerged during calendar year.

2.1 = Serial case # 2 and first Guinea worm that emerged from patient during calendar year.

Insert additional rows (using EXCEL) to record additional Guinea worms that might emerge from persons previously declared "a case of GWD" as shown above. For example, row with case # 1.2 would below case # 1.1 would indicate a second Guinea worm emerged from patient (case # 1.1) and other data associated with the containment of the second worm. Repeat as 1.3 should a third Guinea worm emerge from patient (case # 1.1), and similarly for other cases, if applicable.

Figure 5

Ghana Guinea Worm Eradication Program

Number of Reported Cases of Dracuculiasis: 2006 - 2011*



MEETINGS

The 16th Program Review of National Guinea Worm Eradication Programs will be held at The Carter Center on March 1-3, 2012.

REFERENCES

Aronson SM, 2010 . Dracunculiasis: a candidate for eradication. Medicine & Health, Rhode Island. 93(3):67.

Centers for Disease Control and Prevention (CDC), 2011. Renewed transmission of dracunculiasis--Chad, 2010. MMWR. 60(22):744-8.

Voelker, R. 2011 . Global partners take two steps closer to eradication of Guinea worm disease. JAMA.305 (16):1642.

World Health Organization, 2011. Monthly report on dracunculiasis cases, January-May 2011. Wkly Epidemiol Rec 86(31):339-40.

World Health Organization, 2011. Monthly report on dracunculiasis cases, January-June 2011. Wkly Epidemiol Rec 86(33):363-4.

Inclusion of information in the Guinea Worm Wrap-Up does not constitute "publication" of that information.
In memory of BOB KAISER

WHO Collaborating Center for Research, Training, and Eradication of Dracunculiasis, Center for Global Health (proposed), Centers for Disease Control and Prevention, Mailstop F-22, 4770 Buford Highway NE, Atlanta, GA 30341-3724, USA, email: gwwrapup@cdc.gov, fax: 770-488-7761. The GW Wrap-Up web location is http://www.cdc.gov/ncidod/dpd/parasites/dracunculiasis/moreinfo_dracunculiasis.htm

Back issues are also available on the Carter Center web site English and French are located at http://www.cartercenter.org/news/publications/health/guinea_worm_wrapup_english.html. http://www.cartercenter.org/news/publications/health/guinea_worm_wrapup_francais.html

CDC is the WHO Collaborating Center for Research, Training, and Eradication of Dracunculiasis.