


LECTURE NOTES

For Health Science Students

Introduction to Public Health



Gebrezgi Gidey, M.D., M.Sc.

Sadik Taju, M.D.

Ato Seifu Hagos, B.Sc.

Mekelle University

In collaboration with the Ethiopia Public Health Training Initiative, The Carter Center,
the Ethiopia Ministry of Health, and the Ethiopia Ministry of Education

2005



Funded under USAID Cooperative Agreement No. 663-A-00-00-0358-00.

Produced in collaboration with the Ethiopia Public Health Training Initiative, The Carter Center, the Ethiopia Ministry of Health, and the Ethiopia Ministry of Education.

Important Guidelines for Printing and Photocopying

Limited permission is granted free of charge to print or photocopy all pages of this publication for educational, not-for-profit use by health care workers, students or faculty. All copies must retain all author credits and copyright notices included in the original document. Under no circumstances is it permissible to sell or distribute on a commercial basis, or to claim authorship of, copies of material reproduced from this publication.



ACKNOWLEDGMENTS



ABBREVIATIONS

AIDS	-Acquired Immuno Deficiency Syndrome
ALERT	-All Africa Leprosy Rehabilitation and Training Center
ALRI	- Acute Lower Respiratory Infection
AURI	- Acute Upper Respiratory Infection
ANC	- Antenatal Care
ARI	- Acute Respiratory Infection
CHA	- Community Health Agents
CHC	- Community Health Care
CHW	- Community Health Worker
CIH	-COMMUNITY INVOLVEMENT IN HEALTH
CPHC	- Comprehensive Primary Health Care
DPT	- Diphtheria Pertusis and Tetanus
EPI	- Expanded Program of Immunization
FP	- Family Planning
GOBIFF	-Growth monitoring, Oral rehydration, Breast-feeding, Immunization, Female education, Family Planning.
HIV	- Human Immuno Deficiency Virus
HLS	- Household Livelihood Security
HSEP	- Health Service Extension Package
IEC	- Information Education Communication



MCH	- Maternal and Child Health
MDG	- Millennium Development Goal
MOA	- Ministry Of Agriculture
MOE	- Ministry Of Education
MOH	- Ministry of Health
ORT	- Oral Rehydration Therapy
PHC	- Primary Health Care
PHCU	- Primary Health Care Unit
RH	- Reproductive Health
SPHC	- Selective Primary Health Care
STD	- Sexually Transmitted Disease
STI	- Sexually Transmitted Infection
TB	- Tuberculosis
TBA	- Traditional Birth Attendant
TT	- Tetanus Toxoid
TTBA	- Trained Traditional Birth Attendant
UNICEF	- United Nation Children's Fund
WHO	- World Health Organization

TABLE OF CONTENTS

PREFACE i
ACKNOWLEDGMENTiii
ABBREVIATIONS v



3.3 Relation of culture and health	42
3.4 Exercise	46

CHAPTER FOUR: TRADITIONAL HEALTH CARE PRACTICES	47
4.1 Learning Objectives	47
4.2 Introduction	47
4.3 Structure of Traditional Medicine	49
4.3.1 Ethno medical definition of Health	50
4.3.1.1 Naturalistic ethnologies:.....	52
4.3.1.2 Magico-religious domain	53
4.4. Traditional Prenatal care	54
4.5. Secular Healing	57
4.5.1 Self care	57
4.5.2 Empirical Practitioners	58
4.6 Exercise	60
CHAPTER FIVE: FAMILY HEALTH	61
5.1 Learning Objectives	61
5.2 Family	61
5.3 Family Health	62
5.4 Exercise	66



9.2 Introduction	108
9.3 Definition	109
9.4 Historical development of PHC	111
9.5 Components of PHC	113
9.6 PHC Principles	114
9.7 PHC Philosophy and strategy	124
9.8 PHC in Ethiopia	126
9.9 Exercise	128
CHAPTER TEN: COMMUNITY BASED HEALTH SERVICES	129
10.1 Learning Objectives	129
10.2 Introduction	129
10.3 Community responsibility	132
10.4 Community health councils	133
10.5 Community involvement in health (CIH)	134
10.6 Team approach in health service	136
10.6.1 Need for the health service team	136
10.6.2 The health team	138
10.6.3 Leader of the health team	142
10.7 Exercise	146
Glossary	147
References	157
Authors	160

CHAPTER ONE

CONCEPT OF HEALTH

1.1 Objectives

At the end of this chapter, the students are expected to:

- ✚ Define health
- ✚ Describe the different concepts and perspectives of Health.
- ✚ Describe determinants of health.
- ✚ Define globalization & list its advantages and disadvantages on health population.
- ✚ Describe the different models of disease causation theories

1.2 Health

The word health is widely used in public communication, and yet its meaning looks simple. However, closer looks show various and diverse meanings. This chapter

discusses the various definitions and determinants of health.

For the purpose of this monograph, we consider definitions from lay point of view, professional, World Health Organization (WHO).

Lay Point of view: Persons are healthy when they are doing their activities with no apparent symptoms of disease in them. The New oxford Dictionary of English describes health as 'the state of being free from illness or injury'.

Professional points of view: From this point, health is defined as s a measure of the state of the physical bodily Organs, and the ability of the body as a whole to function. It refers to freedom from medically defined diseases.

WHO definition: The world Health Organization (WHO) described health in1948, in the preamble to its constitution, as "A state of complete physical, mental, and social well-being and not merely the absence of disease or infirmity".

Recently this statement has been expanded to include the ability to lead a “socially and economically productive life”. The World Health Organization definition of health cannot be considered as an operational definition because it does not lend itself to direct measurement. In order to overcome this lacuna a WHO group has devised an operational definition of health. According to this definition, the concept of health is viewed as being of two orders. In broader sense health can be defined as “a condition or quality of the human organism expressing the adequate functioning of the organism in given conditions, genetic or environmental”


As evident from the above definitions, health is multi-dimensional .The WHO definition envisages three specific dimensions (physical, mental, and social), some other dimensions like spiritual, emotional may also be included.

Physical health- is concerned with anatomical integrity and physiological functioning of the body. It means the ability to perform routine tasks without any physical restriction. E.g., Physical fitness is needed to walk from place to place.



1.3 Different perspectives on health

Health is viewed as a right, as consumption good, and as an investment. Some view health as a right similar to justice or political freedom. The WHO constitution states that “ . . . the enjoyment of the highest attainable standard of health is one of the fundamental rights of every human being without distinction of race, religion, political belief, economic or social condition”. Others view health as an important individual objective of material aspect i.e. as consumption good. The third view considers health as an investment. The WHO constitution, indicates that the WHO considers health as an investment.



The health field concept

According to the “Health field” concept. There are four major determinants of health or ill health.

A. Human Biology

Every Human being is made of genes. In addition, there are factors, which are genetically transmitted from parents to offspring. As a result, there is a chance of transferring defective trait. The modern medicine does not have a significant role in these cases.

- a. Genetic Counseling: For instance during marriage parents could be made aware of their genetic component in order to overcome some risks that could arise.
- b. Genetic Engineering: may have a role in cases like Breast cancer.

B. Environment: is all that which is external to the individual human host. Those are factors outside the human body. Environmental factors that could influence

health include:

- a. Life support, food, water, air etc
- b. Physical factors, climate, Rain fall
- c. Biological factors: microorganisms, toxins, Biological waste,

- d. Psycho-social and economic e.g. Crowding, income level, access to health care
- e. Chemical factors: industrial wastes, agricultural wastes, air pollution, etc

C. Life style (Behavior): is an action that has a specific frequency, duration, and purpose, whether conscious or unconscious. It is associated with practice. It is what we do and how we act.

Recently life style by itself received an increased amount of attention as a major determinant of health. Life style of individuals affects their health directly or indirectly.

For example: Cigarette smoking
Unsafe sexual practice
Eating contaminated food

D. Health care organization

Health care organizations in terms of their resource in human power, equipments, money and so on determine the health of people.

It is concerned with

- a. Availability of health service

People living in areas where there is no access to health service are affected by health problems and

have lower health status than those with accessible health services.

b. Scarcity of Health Services leads to inefficient health service and resulting in poor quality of health status of people.

c. Acceptability of the service by the community

d. Accessibility : in terms of physical distance, finance etc

e. Quality of care that mainly focuses on the comprehensiveness, continuity and integration of the health care.

The other view of the determinants of health is from the ecological perspective. Accordingly, there are four different factors affecting health.





It also involves the economy, politics and religion in the community.

3. Community organization - Community organization include the community size, arrangement and distribution of resources (“relations of productions”)

4. Behavioral determinants- The behavioral determinants affecting health include individual behavior and life style affecting the health of an individual and the community. E.g. smoking, alcoholism and promiscuity

1.5 Globalization and Health

Globalization is the process of increasing political and social interdependence and global integration that takes place as capital, traded goods, persons, concepts, images, ideas and Values diffuse across the stated boundaries (Hurrell & woods 1995).

Globalization must ensure that people, particularly the poor, enjoy better health that is the most important



Food markets & obesity as well as
chemicals in food

Rapid spread of infectious diseases

Depression in aged and fragmented
population

Adverse effects on the environment

1.6 Model of disease causation theories

A model is a representation of a system that specifies its
components and the relationships among the variables.

E.g. includes graphs, charts, and decision trees

I – Nineteen-century models

Each effort to prevent disease in the 19th century was
based on one or the other three theories of disease
causality. These are:

1. Contagion theory
2. Supernatural theory
3. Personal behavior theory
4. Miasma theory

1. Contagion theory

This theory was common at the beginning of the 19th



- ✚ Too many others where brave souls nursed the dying and carried their bodies to the graveyard yet remained well.

2. Supernatural theory

Proponents of this theory argue that supernatural forces



individuals to control their own lives. In this formulation the source of the disease was not tied up with the mysterious ways of God, instead people caused their own disease by living fully unhealthy. Hence, improper diet, lack of exercise, poor hygiene and emotional tension become the focus of preventive actions. This theory does not blame the poor for the illness and in many aspects; it was homage to middle-class life.

4. Miasma theory

This theory argues that disease is caused by the odor of decaying of organic materials. It dates back to the Hippocratic idea that disease is related to climate. It contrasted sharply from the other three theories since it conceptually separated the source of the disease from the victim of the disease.

II – Twenty-century models

Although economic and ideological considerations influenced the 19th century disease prevention policy, sound research determines policy today. The 20th century theory focuses on:

1. The Germ Theory
2. The Life Style Theory

the germ theory, for it conceives of disease as an individual event, the difference is that prevention, instead of requiring physicians' ministrations, demand personal behavior change. The critics surrounding this theory state that the change for lifestyle requires overall social change.

3. The Environmental Theory

Environmental theory explains that significant number of chronic disease are caused by toxins in the environment and it implies that disease prevention, instead of requiring medical treatments or personal hygiene, demands change in the industrial production.

The first aspect of the environmental hypothesis is occupational hazards, the second concentrates on toxic substances in the air water and soil (advocates of this theory places particular emphasis on radioactivity), and the third aspect focus on synthetic additives to foods "organic foods".

Two scientific disputes surround the hypothesis viz the suitability of extrapolating from animals to humans and the concept of threshold levels.

4. The Multi Causal Theory



CHAPTER TWO

PUBLIC HEALTH

2.1 Learning Objectives

At the end of this chapter, the students are expected to:

- ✚ Discuss the history of public health
- ✚ Define public health and list its core activities.
- ✚ Be aware of the definition of key terms in public health
- ✚ Recognize the principal disciplines of public health
- ✚ Describe the difference and similarities between clinical medicine and community health.
- ✚ Discuss the ethical issues and challenges in public health.

2.2 History of public Health

The history of public health goes back to almost as long as history of civilization. Possible traditions during

civilization may be, taboos against waste disposal within communal areas or near drinking water sources; rites associated with burial of the dead; and communal assistance during birth.

In the **Ancient Societies (before 500 BC)** the history is that of archeological findings from the Indus valley (North India) around 2000 BC with the evidence of bathrooms and drains in homes and sewer below street level. There was evidence of drainage systems in the middle kingdom of ancient Egypt in the time 2700 -2000 BC. There were written records concerning public health, codes of Hamurabi of Babylon, 3900 years ago.

The **Book Of Leviticus (1500 BC)** had guidelines for personal cleanliness, sanitation of campsites, disinfection of wells, isolation of lepers, disposal of refuses and hygiene of maternity.

In **The Classical Cultures (500 BC - 500 AD)** public health was practiced as Olympics for physical fitness, community sanitation and water wells in the era golden age of ancient Greek; and aqueducts to transport water, sewer system, regulation on street cleaning and infirmaries for slaves by Romans.

In the middle ages (500 - 1500 AD), health problems

were considered as having spiritual cause and solutions. They were supernatural powers for pagans and punishments for sins for Christians. Leprosy, plague (Black Death) during the 14th century and syphilis were some of the deadliest epidemics resulted from failure to consider physical and biological cause.

The era of renaissance and exploration (1500 - 1700 AD) was the rebirth of thinking of about nature of the world and humankind. There was a growing belief that diseases were caused by environment, not by spirits and critical thinking about disease causation e.g. "malaria" - bad air.

In the eighteenth century, there were problems of industrialization, urban slums leading to unsanitary conditions and unsafe work places. Edward Jenner (1796) demonstrated vaccination against smallpox.

In the nineteenth century there were still problems of industrialization but agricultural development led to improvements in nutrition and there was real progress towards understanding the causes of communicable diseases towards the last quarter of the century. The Luis Pasteur's germ theory (1862) and Koch's Postulate (1876) were remarkable progresses.

Twentieth century has been the period of health resources development (1900-1960), social engineering (1960 - 1973), health promotion (Primary Health Care), and market period (1985 and beyond)

The challenge in the twenty first century are reducing the burden of excess morbidity and mortality among the poor; counter reacting the threats of economic crisis, unhealthy environment and lifestyle; developing more effective health system and investing in expanding knowledge base.

HISTORICAL MARKERS in the development of Public Health (selected)

1700 BC The Code of Hammurabi – Rules governing medical practice

1500 BC – Mosaic Law – Personal, food and camp hygiene, segregating lepers, overriding duty of saving of life (Pikuah Nefesh) as religious imperatives.

400 BC Greece – Personal hygiene, fitness, nutrition, sanitation, municipal doctors, occupational health; Hippocrates –

clinical and epidemic observation and environmental health.


500 BC to AD 500 Rome – aqueducts, baths, sanitation, municipal planning, and sanitation services, public baths, municipal doctors, military and occupational health.

500 – 1000 Europe – destruction of Roman society and the rise of Christianity; sickness as punishment for sin, mortification of the flesh, prayer, fasting and faith as therapy; poor nutrition and hygiene pandemics; antiscience; care of the sick as religious duty.

1348 – 1350 Black Death – origins in Asia, spread by armies of Genghis Khan, world pandemic kills 60 million in fourteenth century, 1/3 to 1/2 of the population of Europe.

1300 Pandemics – bubonic plague, smallpox, leprosy, diphtheria, typhoid, measles, influenza, tuberculosis, anthrax, trachoma, scabies and others until eighteenth century.

- 1673 Antony van Leeuwenhoek – microscope, observes sperm and bacteria.
- 1796 Edward Jenner – first vaccination against smallpox.
- 1830 Sanitary and social reform, growth of science.
- 1854 John Snow – waterborne cholera in London: the Broad Street Pump.
- 1854 Florence Nightingale, modern nursing and hospital reform – Crimean War
- 1858 Louis Pasteur proves no spontaneous generation of life.
- 1859 Charles Darwin publishes *On the Origin*



- 1883 Robert Koch discovers bacillus of cholera.
- 1883 Louis Pasteur vaccinates against anthrax.
- 1884 Diphtheria, staphylococcus, streptococcus, tetanus organisms identified
- 1890 Anti-tetanus serum (ATS)
- 1892 Gas gangrene organism discovered by Welch and Nuttal
- 1894 Plague organism discovered (Yersin, Kitasato); botulism organism (Van Ermengem).
- 1923 Health Organization of League of Nations
- 1926 Pertussis vaccine developed
- 1928 Alexander Fleming discovers penicillin
- 1929 – 1936 The Great Depression – wide spread economic collapse, unemployment, poverty, and social distress in industrialized countries.

from Immunization, health promotion, and childcare to food labeling and food fortification to the assurance of well managed, accessible health care service. The planning, management, and monitoring functions of a health system are indispensable in a world of limited resources and high expectations. This requires a well-developed health information system to provide the feedback and control data needed for good management. It includes responsibilities and coordination at all levels of government and by non-governmental organizations (NGO'S) and participation of a well-informed media and strong professional and consumer organization. No less important are clear designations of responsibilities of the individual for his/her own health, and of the provider of care for human, high quality professional care

2.3 Definition of public health

Public health is defined as the science and art of preventing diseases, prolonging life, promoting health and efficiencies through organized community effort. It is concerned with the health of the whole population and the prevention of disease from which it suffers. It is also

one of the efforts organized by society to protect,



informing people about health and lifestyle factors that might put them at risk requires teaching.

The Elements of Health promotion comprises of :-

1. Addressing the population as a whole in health related issues , in every day life as well as people at risk for specific diseases:
2. Directing action to risk factors or causes of illness or death;
3. Undertaking activities approach to seek out and remedy risk factors in the community that adversely affect health;
4. Promoting factors that contribute to a better condition of health of the population;
5. Initiating actions against health hazards ,including communication ,education, legislation ,fiscal measures, organizational change ,community development , and spontaneous local activities ;
6. Involving public participation in defining problems ,deciding on action;
7. Advocating relevant environmental ,health , and social policy ;
8. Encouraging health professionals' participation in health education and health policy.

Prevention

Prevention refers to the goals of medicine that are to promote, to preserve, and to restore health when it is impaired, and to minimize suffering and distress.

There are three levels of prevention:

Primary Prevention refers to those activities that are undertaken to prevent the disease and injury from occurring. It works with both the individual and the community. It may be directed at the host, to increase resistance to the agent (such as immunization or cessation of smoking), or may be directed at environmental activities to reduce conditions favorable to the vector for a biological agent, such as mosquito vectors of malaria.

Secondary Prevention is the early diagnosis and management to prevent complications from a disease. It includes steps to isolate cases and treat or immunize contacts to prevent further epidemic outbreaks.

Tertiary Prevention involves activities directed at the host but also at the environment in order to promote



2.4. MAJOR DISCIPLINES



events in specified populations. The application of this study to the promotion of health and to the prevention and control of health problems is evident.



subjects. It is a systematic investigation towards increasing knowledge. It aims at the discovery and interpretation of facts, revision of accepted theories, or laws in the light of new facts or practical application of such new theories or laws.

Demography is the study of population, especially with reference to size and density, fertility, mortality, growth, age distribution, migration, and the interaction of all those with social and economic conditions.


2.5. Core activities in public health

1. Preventing epidemics
2. Protecting the environment, work place ,food and water ;
3. Promoting healthy behavior;
4. Monitoring the health status of the population;
5. Mobilizing community action;
6. Responding to disasters;
7. Assuring the quality ,accessibility, and accountability of medical care;
8. Reaching to develop new insights and innovative solutions and
9. Leading the development of sound health policy and Planning

2.6. Community Health, Clinical Medicine and Public Health

Community health refers to the health status of a defined group of people and the actions and conditions both private and public (governmental) to promote, protect and preserve their health.

Whereas Public health refers to the health status of a defined group of people and the governmental actions and conditions to promote, protect and preserve their



Public health involves both direct and indirect approaches. Direct measures in public health include immunization of children, modern birth control, hypertension, and diabetes case findings. Indirect methods used in public health protect the individual by community-wide means, such as raising standards of environmental safety, assurance of a safe water supply, sewage disposal, and improved nutrition. In public health practice, both the direct and indirect approaches are relevant.

2.7. Ethical issues and challenges in public health

Public health is usually viewed as a broad social movement, a way of asserting social justice, value and priority to human life. On the other hand, market justice prevents the fair distribution of burdens and benefits among society.

The following are challenges and ethical concerns in public health

1. Political conservatism and public health – in this view, politics conserves the broad vision of public

health and prefers it to limit into a technical enterprise focusing on controlling communicable diseases and a safety net providing medical care to the indigent.

2. Collective scope and individualism – individualistic societies resist the notion of public health's concern for the collective
3. Economic impacts - public health regulations affects the industries (E.g. tobacco), those paying for the public health benefits may not necessarily be the beneficiaries (E.g. Regulatory actions for worker safety raising costs to consumers), people may not be willing to pay costs for benefits that would accrue in the long future (E.g. measures to limit global warming) and it is easier to calculate current costs incurred for public health than the benefits that would come later.

h2 pref(8ED0.*0.mf0owm)-4(nt.)T[f5023wrofV00mich govlling)5.m(f5s s(for p that(Ee)5

health (E.g. enforcing seat belts). libertarianism claims that “the only purpose for which power can be rightfully exercised over any member of a civilized community ,against her / his will is if her/his act harms others(E.g. regulate drunk behavior no drinking)

6. Public health measures and religion/moral – some public health measures are not acceptable on religious and moral grounds ,(E.g. sex education and distribution of contraceptives and/or condoms to adolescences),
7. Values and responsibilities - health authorities deciding on values and choices of those they serve (e.g. whether some one should not take the responsibility on behavior causing ill health such as smokers, alcoholics, promiscuous people),decision on whether to emphasize HIV/AIDS prevention versus ARV therapy in poor countries, the extent of providing access to benefits to research subjects
8. Surveillance versus cure – involves hoe to deal with sick subjects identified in routine survey/data collection


9. Dilemmas in cost benefit analysis – the difficulty of valuing life, and values to be assigned for the rich versus the poor.

2.8 Exercise

Define public health and discuss the similarities and difference with clinical medicine.

Mention the role of public health in the health care delivery system

What are the challenges of public health practice?



CHAPTER THREE

HEALTH AND CULTURE

3.1 Learning Objectives

At the end of this chapter, the students are expected to:

- ✚ Define culture .
- ✚ Describe the relationship between culture and health *
- ✚ Discuss the influence of culture on health.
- ✚ Health is already defined in chapter one

3.2 Definition

Culture is that complex whole which includes knowledge, belief, art, morale, law, customs and other capabilities and habits acquired by man as a member of society.

Culture refers to the sum total of the life- ways of a group of people who share values, beliefs and practices that are passed on from generation to generation and

which change through time. Culture is the sum totals of the things that people do because of having been taught. For the perpetuation of human race, man depends on culture, which is a learned behavior.

Culture is peculiar to human beings. It separates man and the society from that of animals and insects, whose behavior is always only instinctual and therefore does not change. Man's culture or learned behavior makes possible to change continuously.

The three suggested levels of culture include:

- Concrete - the most visible tangible artifacts such as clothes, music, art, food and games. Festivals and celebration focus on these dimensions.
- Behavioral – practices reflect values and defined social and gender roles, languages spoken, and approaches to non-verbal communication. Behavioral aspects of culture include language, gender roles, family structure, political affiliation, and community organization.

- Symbolic – values and belief are often expressed in symbols and rituals. Although often abstract, symbolic meaning is key to how people define themselves in relation to each other, the world and the universe. Symbolic expression includes value systems, religion, worldview, customs, spirituality, morals and ethics.

3.3 Relation of Culture and Health

Culture is one of the determinants of health among the environmental factors. An individual's culture influences his or her attitude toward various health issues, including perceptions of what is and is not a health problem, methods of disease prevention, treatment of illness, and use of health providers. In every culture, the care of the sick person is clearly dictated not only as to what care he/she is given, but also who will do it and how he/she should proceed. We learn from our own cultural and ethnic backgrounds how to be healthy, how to recognize illness, and how to be ill. Meanings attached to the notions of health and illnesses are related to basic, culture-bound values by which we define a given experience and perceptions.

People around the world have beliefs and behaviors related to health and illness that stem from cultural forces and individual experience and perceptions.

To understand the cultural context of health, it is essential to work with several key concepts:



treatment systems from several perspectives; to analyze the differences between these perspectives; and to develop approaches that will work within a cultural context.

The insider-outsider concept leads to other sets of



and perpetuation of a culture depends on teaching children to accept it and on its members feeling that it is a good thing. Cultural relativism in anthropology refers to the idea that each culture has developed its own ways of solving problems of how to live together; how to obtain the essential of life, such as food and shelter; how to explain phenomena; and so on.

No one is "better" or "worse"; they are just different. This is a challenge, what if a behavior is "wrong" from an epidemiological perspective. How does one distinguish between a 'dangerous' behavior (example, using HIV contaminated needle) and behavior that are merely different and therefore, seem odd? For example, Bolivian peasants use very fine clay in a drink believed to be good for digestion and stomach ailments. Health workers succeeded in discouraging this practice in some communities because 'eating dirt' seemed like a bad thing. The health workers then found themselves faced with increased caries (tooth decay) and other symptoms of calcium deficiency. Upon analysis, the clay was a key source of calcium for these communities.

Thus, there is a delicate balance between being judgmental without good reason and introducing behavior change because there is a real harm from

existing behaviors. In general, it is best to live harmless practices alone and focus on understanding and changing harmful behaviors.

3. The concept of holism is also useful in looking at health and disease cross culturally. Holism is an approach used by anthropologists that looks at broad context of whatever phenomenon is being studied. Holism involves staying alert for unexpected influences, because one never knows what may have a bearing on the program one is trying to implement. For public health, this is crucial because there may be diverse factors influencing health and health behavior.

3.4. Exercise

Discuss the negative and positive influences of culture to health by giving examples.

List cultural practices from your locality and discuss the influence of these cultural practices on the health of your community.

How does culture affect health of a certain community?

CHAPTER FOUR

TRADITIONAL HEALTH CARE PRACTICES

4.1 Learning Objectives

At the end of this chapter, the students are expected to:

- ✚ Describe the traditional beliefs & practices linked to health .
- ✚ Appreciate the importance of traditional health practices in modern medicine
- ✚ Discuss the structure of traditional medicine

4.2 Introduction

Nowadays, there is a mix of western biomedicine and indigenous practices in the health care in different parts of the world, especially in developing countries. Countries like Brazil and China have well-developed traditional medicine in their health care system.

Traditional medicine was recognized by the Ministry of Health of Ethiopia as an important alternative health resource readily available to both rural and urban communities. An office for traditional medicine was established in the Ministry of Health in 1975 with the task of co-coordinating nationalized activities. This includes phytochemical screening of enthobontanical pharmacopoeia, clinical evaluation of traditional health practices and surgical procedures, and the census of traditional medical practitioners. Despite all aims, little was accomplished and only traditional birth attendants were trained and employed and some medicinal were screened.

Nevertheless, ethno medical beliefs and practices continue to be widely followed through out urban and rural Ethiopia, reflecting considerable cultural continuity and the persistent poor accessibility and quality of most modern health services. In Ethiopia where more than half of the population depends on traditional medicine, involving both the traditional healers and the practice in the health care system is a good opportunity.


4.3 Structure of Traditional Medicine

In reality, traditional medicine in Ethiopia is characterized by great variation and has been shaped by a host of ecological, social, cultural and historical factors. First, variation in climate, elevation, topography and soil type play a major role in the frequency and distribution of diseases that traditional medicine is called up on to deal with. Example, it is people who are living in hot lands/low lands are ethno medically familiar with visceral leishmaniasis and trypanosomiasis unlike the people living in high lands who have their healing practices on common cold and rheumatism.


Second the multiethnic character of the population and the uniqueness of the individual socio-cultural environments with in which it developed have influenced the Ethiopian ethno medical system.

Third, historical developments related to prolonged immigration from different areas surrounding the country such as the southern Arabian Peninsula, the influx of Greek culture and the introduction of Christianity and Islam has influenced the Ethiopian ethno medical heritage.

Despite the above-mentioned variation, the Ethiopian ethno medicine can be described as an integrated system of beliefs and practices, characterized by an internally coherent discourse on health and illness. Illness perception may either promote health-enhancing behaviors, or it can lead to health lowering behaviors and practices. The settlement pattern of Ethiopians



This state of balance is enhanced by factors of a spiritual behavioral and physiological nature. First well-being is thought to be secured by a peaceful relationship with the supernatural world (Sky-God, nature and ancestral sprites, magical agents). Additionally, behavioral modernization is considered as an important promise for health looking. Conversely, any excess in



- £ Opinion of elders and significant others and
- £ Demographic status (age, sex, religion)

Nonetheless, two broad domains of ethnological theories are identifiable in the Ethiopian ethno medical system. These are naturalistic and Magico-religious.

4.3.1.1 Naturalistic ethnologies:

In this ethnological theory, ailments are ascribed to causes pertaining to the empirical domain and exclude the intervention of a supernatural agent. Hence sickness may result from

External factors – such as a faulty interaction with the environment, e.g. drinking polluted water, eating unaccustomed or bad food, atmospheric changes, inhaling dusts etc

Contagion through physical contact with a sick person, e.g. Sexual relationship, inhaling a sick person's breath, drinking from a sick person's cup

Interpersonal conflict, e.g. Wounds provoked by fights and wife beating

Personal excesses, e.g. prolonged exposure to sun and rain, bathing in cold water, eating unripe crop, drinking immoderately



consequences of sorcery are highly feared and counteracted with appropriate rituals.

In addition to ailments recognized by biomedicine, the Ethiopian ethno medical system comprises a number of folk syndromes ascribed to both empirical and supernatural etiologies. Example, the Sidamo label with the term "*ranta*" an ailment characterized by chest pain and back pains, fatigue and breathing difficulties. Its ethnology is described in empirical terms, and it is thought to be triggered by excess commonplace activities, e.g. Carrying heavy loads. The prescribed treatment includes drinking goat's blood, eating abundant food, horn cupping, thermal baths and rest.

4.4. Traditional Perinatal Care

The majorities of Ethiopian women deliver at home and follow the traditional birth customs. In this context, traditional birth attendants play an important role in prenatal and perinatal care.

These traditional birth attendants possess a vast range of cumulative knowledge in the field of midwifery and gynecological therapy. They are called especially in the event of childbirth complications. They facilitate

deliveries through massaging and other form of manipulation, often involving purification of the birth canal with butter.

Traditional beliefs and practices concerning pregnancy and childbirth are also wide spread. Ethno medical beliefs predominate in the explanation of conception. For example in Sidamo, conception is thought to derive from mixing of male seminal fluid and female blood, while the function of female reproductive organs appeared to be ignored. Pregnancy is considered a dangerous state as the fetus could easily pray for evil eye and sorcery. These are believed to cause miscarriage, premature delivery and total malformation.

Preparation for childbirth also entails empirical practices, which aim at enhancing the health of both the expectant mother and the fetus. In some parts of the country, *Kembata* and *Hadya*, *Kosso* is taken at various stages of the pregnancy. The main purpose of cleaning the bowel as it would be “*shameful for a woman to show intestinal parasite at birth*”, “*making space for the fetus*”, and

Varieties of practices are enacted after delivery. The umbilical cord is cut with a razor blade after the placenta is expelled for the stated reason that the neonate needs the blood to breath. The placenta is usually buried outside the house and in Ethiopian culture its burial site has deep symbolic and emotional overtones as it signifies one's roots and desirable place of death.

Ethno botanical remedies are also used widely both during pre and postnatal period. Among various groups, fruits are given to expectant mothers as a remedy against eclampsia. In northern Ethiopia, the newly born baby is generally given some butter after birth so as to clear the baby's intestines from black tar and other fluids accumulated during gestation while colostrums is squeezed out and generally avoided as a potential source of abdominal pains, breast feeding carried out universally beginning the 3rd day of life. The birth of a new baby also results in weaning of the older child, for this purpose a bitter juice is placed on the nipples in order to discourage the baby on breast-feeding.

4.5. Secular Healing

Many ailments are routinely explained within an empirical framework of illness etiology and treated with curative practices, which do not involve Magico-religious rituals. In this domain various levels of specialization exist, ranging from home remedies to professional treatment.

4.5.1 Self care

Self-care by household without the use of professional healers is common throughout Ethiopia. A popular remedy for different illnesses exists. For instance, remedies for headache include coffee and lemon tea drinking, and most ethnic groups place eucalyptus leaves in the nostrils to treat colds. Rheumatism and arthritis are treated with application of hot and dry leaves on the afflicted part of the body, in some population groups. Several skin problems are also treated at home, for example the Sidamo apply a

4.5.2 Empirical Practitioners

Beyond the self-care practices, Ethiopians use different variety of traditional medical practitioners, who operate predominantly at an empirical level. Group specific taxonomic terms distinguish further ethno medical competence. Thus, a Sidamo traditional medical practitioner whose field of expertise is restricted solely to the preparation of herbal concoctions is designated with the term “*Taghissancho*”, meaning medicine maker. The Amhara also classify the traditional medical practitioners as herbalists, “*Wegesha*” (bonesetter), uvula cutter, and cupper. These people are not distinguishable from the rest of the population in terms of social status or insignia. The majorities of them are engaged in farming and practice medicine on part time basis.

- *Cauterization*: - is popular medical practice in Ethiopia and is advised for ailments such as conjunctivitis, headaches, ear infections, chronic cough, and bone fracture. Although cautery is rarely harmful, cases of permanent disability following cauterization were observed among the Sidamo. The attributed efficacy of cautery is based on the belief that the emanation of heat

destroys the pathogenic substance inside the



It is prescribed for elephantiasis, rheumatism, high fevers, headaches and others.

Additional ethno medical practices include dentistry involving the use of modern carpenter pliers to extract aching teeth, eye, and brow cutting to treat conjunctivitis, and scrapping the buccal tissue in the case of tonsillitis.

4.6. Exercise:

Discuss the traditional health practices you know from your locality, their intention and implication on health.

What are the differences between the naturalistic ethnologies and magico-religiuous theories?

What is the definition of health according to the ethno medical settings? And what are the factors affecting health?

CHAPTER FIVE

FAMILY HEALTH

5.1 Learning objectives

At the end of this chapter, the students are expected to:

- ✚ Define Family and family health.
- ✚ Describe the reason why there is a focus on family health

5.2 Family


Family is a social unit composed of group of individuals who are related by blood or marriage or adoption, live under the same roof and share a common kitchen, and/or share common social responsibilities. Such social unit is defined primarily by reference to relationships which pertain to arise from reproductive process and which are regulated by law or custom, especially relationship established between a couple by marriage

their children. However, it has to be differentiated from household.

Household consists of a group of individuals who share living quarters, take their principal meal from the same kitchen, i.e. live under the same roof, and eat from the same kitchen. There are two types of households-private households (or family households) and institutional (or non-family) households like hostels, jail, etc.

Nuclear family

Nuclear family includes a male and female couple



problems of rapidly growing populations have important consequences at the family, community and the national level. Problems of maternal and child health, and human reproduction, including family planning, are now seen as aspects of the greater problem of the health of the whole family.

In developing countries like Ethiopia, families often consist of large numbers of children born to poorly educated parents living in poverty. The father or less commonly the mother may be absent for long periods while working in a distant place. This can create serious health hazards for all family members. In societies where death of adults occurs from civil wars, famine, or infectious diseases such as AIDS, raising of children by single parents, neighbors, or older siblings is common. Abandonment of children is also common in such situations.

Why do we focus on family health?

The family structure provides an important foundation for physical and emotional health of the individual and the community. A healthy family is a basis for a healthy society and healthy nation. Marital and family status and

interaction among family members affect each person's health and the well being of the community and nations. Family health mainly focuses on maternal (mother's) health and child health. Both at the national level and internationally, maternal and child health are among the major priorities with special focus on primary health care, since women and children have health needs different from those of the general population.

Public health must be sensitive to the special needs of the family by providing appropriate health promotion, disease prevention, medical care and support programs for each member of the family and the family as a whole.

Maternal health

Maternal health deals with insuring safe mother hood for all women of the world. This includes care for females starting from their conception through various stages of growth and development with special emphasis to women of childbearing age. Here pregnant mothers will get great emphasis towards care before delivery (prenatal care), care during labor and delivery

(childbirth), and care after delivery (postnatal care) and family planning.

Women's health issues relate to their many roles: as individuals, workers, wives, mothers, and daughters.



(e.g. Teenage), Too Soon (e.g. Short inter pregnancy interval), Too Many (e.g. Too many pregnancies and children) and Too Late (e.g. in older women >35 years) pregnancies. It includes a range of methods for preventing or terminating pregnancies, while maintaining a normal sex life. Male's involvement is of paramount importance in family planning especially in the decision making.

Child health

Public health has long played a major leadership role in improving the health of children by provision of care and regulation of conditions to prevent disease, provide early and adequate care of illness, and promote health.

Child health includes care for newborns, breast feeding and feeding practices, Immunization, growth monitoring and well baby clinics, treatment of common childhood infections, school health activities and advocating for the rights of children

5.4 Exercise

What is family health and why is there a focus on family health in the health system?

List the components of family health activities.



CHAPTER SIX

PERSONAL HYGIENE

6.1 Learning objectives

At the end of this chapter, the students are expected to:



health and embraces all factors, which contribute to healthful living. Hygiene is also defined as the science





the tissues take place during sleep because during working hours our tissues and nerves are constantly subjected to wear and tear. To take rest and have sufficient amount of sleep is necessary. Fatigue is the feeling of tiredness or weariness from muscular activity. It also means weariness resulting from either bodily or mental exertion in response of stimuli to any organs' over activity.

Exercise is the basis for the healthy body for majority of people. It is important for maintaining health and vigor and to promote growth. Ability to think and perceive is enhanced by means of exercise. Without exercise, the whole body becomes sluggish.

Emotion is a "stirred up" state of the organism; it is a subjective feeling state, which can influence perception, thinking, and behavior; usually accompanied by facial and bodily expressions; an excited state of mind based on a physiological departure from homeostasis. It includes love, hate, fear, grief, angry or joy experienced unconsciously due to some drive.

Nutrition is defined as the series of processes by which an organism takes in and assimilates food for promoting growth and replacing worn out and injured tissues.



NB. Improper hand washing is not better than hand washing not at all. Proper hand washing reduces the microbial load though it is not as remarkable as washing using soaps.

2. The skin: Sweat and oily secretions from the skin cause dust to stick on its surface. This clogs the skin pores and interferes with the natural function of the skin. Human skin serves as physical barrier and also has self disinfectant power. The disinfectant power of skin increases when the skin is clean

More over, the bacteria can readily breed on unclean surface of the skin to cause various diseases and undesirable odor. Therefore, proper skin cleanliness is very relevant to break the transmission of disease.

3. Clothes: help to protect our body from harsh weather conditions. However, unclean cloths contribute to the multiplication of pests and the spread of pests born disease like relapsing fever. To prevent such health problems regular day and night clothes washing and ironing is advisable.
4. The mouth and teeth: Can harbor microorganisms when food particles left between

the teeth. The microorganism uses this food as a nutrient, multiplies in larger numbers, and can



8. The Genitalia: Shaving the hair is one of the main important parts for the genital hygiene. It helps to avoid the harborage of pests and make cleaning of the genital organ easier. Cleaning of the genital areas can be done during general body cleaning or taking shower. However, there are conditions when one needs special cleaning of genital areas. These are before and after sexual intercourse, during menstruation period, before and after delivery.

6.3 Exercise

Discuss the role of hygiene in the prevention of diseases.

Mention and discuss some of diseases that can be prevented by certain aspects or practices of personal hygiene

CHAPTER SEVEN

HEALTH AND DEVELOPMENT

7.1 Learning objectives

At the end of this course, the students are expected:

- £ Differentiate between development and economic growth.
- £ Describe the relationship between the health sector and development
- £ Identify and define relationships existing between individual and community health and various socio-economic conditions.

7.2 Introduction

Individuals in good health are better able to study, learn and be more productive in their work. Improvements in standard of living have long been known to contribute to improved public health; however, the course has not always been recognized. Investment in health care was not considered a high priority in many countries where

economic considerations directed investment to the “productive” sectors such as manufacturing and large-scale infrastructure projects, such as hydroelectric dams.

Socially oriented approach sees investment in health as necessary for the protection and development of “human capital” just as investment in education is needed for the long-term benefit of the economy of a country. According to the World Development Report by World Bank in 1993: Investing in health, articulated a new approach to economic growth in which health, along with education and social development are considered essential contributors for economic development.

Development on the other hand should be the concern of all in the developing countries. The health planner, manager, and others are equally charged with that concern and must be knowledgeable of what development implies and the role health should play in the development of ones country.

Hence, it is important to know what development means, how does it differ from economic growth? What role does health play in development?



and dependence on other people and communities and from ignorance and human misery.

7.3 The Difference between development and Economic growth

For a long time, the terms development and economic growth were used interchangeably. Although the two are closely related, they are, however, different.

Development

- § Encompasses the total well-being of individual, a community or a nation.
- § Must be measured by the rate of economic growth
- § Conce

- § Concerned with the area in per capital earning of the people making up the nation.
- § Is one characteristic of development?
- § It is possible for a county to experience economic growth without development.

7.4 The role of Health in Development

Health plays a major role in promoting economic development and reducing poverty. The health sector is the key social sector for development. Good health, both at the individual, Community and national levels, is a prerequisite for development.



helps to explain the development process in an economic way, but it also forms the basis of measuring benefit in cost benefit-analysis in the health sector. This is not to suggest that all the benefit of health or education projects is necessarily economic.

Development is linked not just to the improvement of social indicators or the attainment of basic needs, but



assets & other resources that households possess and the human and social capital that households possess or can call on in times of need. Livelihood systems of the poor are often quite diverse. Households often use their capabilities, skills, and know-how to diversify income sources and offset risks.

asset:and offsto et ri, easeuit



important relation of health with access to income and other resources which are core to livelihood; second, any risk or shock of any cause are manifested in terms of health problems; and finally, health and health related problems (disease outbreaks & illness, population growth, etc) are among the key factors (risks or shocks) that lead to livelihood insecurity. All these three mechanisms affect the livelihood security via affecting level of productivity; income, savings and expenditures (key determinateness of access); utilization and distribution of resources.

Good health affects several aspects of life and personal well-being. A healthy population will have high work productivity, and thereby contribute to the improvement of country's living standards. A healthy population may also require less health care, which implies lower health expenditures for both the individual and the public sector.

Poor health on the other hand, make people unable to work full-time and thus their income level is reduced which will affect their livelihood and they will not be able to get their basic needs including health services. Hence, the relationship of health status and income is

7.6 Health and the Millennium Development Goal

In September 2000, leaders of 191 countries around the world met at the UN to adopt the Millennium Declaration. The Declaration outlined the central concerns of the global community and articulated a set of interconnected and mutually reinforcing goals for sustainable development that are now designated as the Millennium Development Goals (MDGs). The MDGs, as set of global development agenda reflect the renewed commitment of the international community towards the overall well-being of people in the developing world. Political and economic externality issues aside, the altruistic rationale behind the MDGs within the health sector can be considered as paralleling the philanthropic drives of the 1970s that led to the emergence of the “Health For All by 2000” movement.

The eight major goals of the MDGs, most of which are to be achieved by the year 2015, are:

1. Eradication of extreme poverty and hunger
2. Achievement of universal primary education



Target 7: have halted by 2015 and begun to reverse the spread of HIV/AIDS

Target 8: have halted by 2015 and begun to reverse the incidence of Malaria and other major diseases

7.7 Exercise

Discuss the role of health in development

Discuss the difference between economic growth and development

Discuss the particular goals and targets in the MDG, which is relevant to the health sector.

How does HIV/AIDS affects the overall development of a country?

CHAPTER EIGHT

HEALTH SERVICE IN ETHIOPIA

8.1 Learning objectives

At the end of this course, the students are expected to:

- £ Describe the developmental history of health services in Ethiopia,
- £ Describe the organization of health system and health services in Ethiopia.
- £ Describe the health service coverage and distribution in Ethiopia.
- £ Understand basic factors that influence health service coverage and distribution in the Ethiopian context,
- £ Discuss the existing health service coverage and distribution of Ethiopia.

8.2 History of Health service development in Ethiopia

The early history of modern medicine in Ethiopia dates back to the Reign of Emperor Libne Dingle (1508 – 1540). When the Portuguese mission to his court brought a physician named Joao Bermudes. Over four centuries, modern health care was brought to Ethiopia from many different countries by other European travelers, missionaries and members of diplomatic missions. Later on different emperors have facilitated the introduction and development of the health service. The foundation of r formalized health services goes back to 1908, when an office dealing with health was created in the Ministry of Interior. During the Haile Selassies Reign, starting 1930s, the health services development accelerated, and the establishment of the Ministry of Health (MOH) in 1948 marked the beginning of the National Health Service.

The Ethiopian Government, in 1952, began to develop a basic health service in which health centers have been considered the backbone of the service. This time, most of the rural health service providers were foreigners and many of them were missionaries.

After this development in the health services, three nursing schools were established between 1949-1951. The Public Health College and Training Center at Gondar was established in 1954. The purpose of this College was to train three categories of health workers namely Health officers, Sanitarians and Community Nurses. These health workers were meant to staff the rural health centers and the college had produced over 1000 such professionals until 1987.

The first Medical school at Black Lion Hospital was opened in 1966 and

College

G

The college was established in 1954 and its purpose was to train health workers for rural health centers. It produced over 1000 professionals by 1987.

least one health center for every 50,000 people and one health station (Clinic) for every 5000 people.

The consecutive plans which were the third five-year (1968 – 1973) and the fourth five-year (1974 – 1979) gave much detailed emphasis on the expansion of basic health services, the importance of public health services and were aiming at raising the health service coverage.

There after, the Socialist Ethiopian Government revised the health policy to place more emphasis on primary health care, rural health services, prevention and control of common diseases, self-reliance, and community participation in health activity through its declaration of the national democratic Revolutionary program in 1976 and its adoption in 1978 of the Alma-ata Declaration of Health for All (HFA) by the Year 2000. Based on useful experiences of annual plans, from 1978-1984, a Ten Year Health Sector Plan 1985-1994 was prepared by the government. The goal of the ten-year perspective plan was to strengthen and expand Maternal and Child health (MCH) services, particularly:

- £ The immunization of all pregnant women and of children under 2 years,
- £ An increase per-capita visit to the health institutions,
- £ A decrease in infant mortality from 155/1000 to 95/1000,
- £ A decrease in child mortality from 247/1000 to 150/1000 and an increase in life expectancy from 42 to 55 years.

In order to achieve these targets, the plan emphasized on community participation, Intersectoral collaboration, integration of vertical programs and specialized health institutions, delivery of essential health service at affordable cost, and the development of a six-tier health system.

The six-tier health care system consisted of community health services (health posts) health stations or clinics, health centers, district hospitals, regional hospital, and central referral/teaching hospitals.

Community health service

It is the first contact of health service with the community; and each community health service is to be staffed with one community health agent (CHA) and one trained traditional birth attendant (TBA) rendering basic health services. Each health post, a community health service delivery point, is expected to serve at least 1000 population and the services include:

- £ Promotion of community participation,
- £ Control of communicable diseases,
- £ Provision of maternal and child health services,
- £ Provision of curative services for minor illnesses and injuries,
- £ The collection of health information and statistics.

Health stations

- £ The lowest level of health services operating directly by the Ministry of Health,
- £ Mostly located in villages and small towns.
- £ Staffed by health assistants and/or a nurse,

- £ Provides service for at least 10,000 populations with in 10-12 km radius.
- £ Provides regular out patient services, basic MCH care, develop and implement environmental sanitation and water supply programs, and supervise CHA and TBA

Health centers

- £ Are staffed by Nurses, sanitarians, laboratory technicians, health Assistants and increasingly by one or two physicians and also health officers.



8.3 Reorganization of the health service delivery


Historically this health care delivery system had been unable to respond qualitatively and quantitatively to the health needs of the people. It had been very centralized and services were delivered in a fragmented way with a reliance on vertical programs and with little collaboration between public and private sectors. The health service provision was also undemocratic and unprofessional with minimal community participation. These led to a great deal of undesirable impact on efficiency and resource allocation.

After a review of this health care delivery system in the early 1990s, a four tier health care organization was brought into the system. This health care delivery



Regional hospital

- £ The third higher level, which provides secondary and tertiary level and training services
- £ Curative and specialized services, with minimum of 100 beds
- £ Staffed with specialists of different category, general practitioners and other staffs (nurses, midwives, laboratory technicians, sanitarians, and of different categories of laboratory technicians)



The new health system organization is part of the implementation of the National Health Policy. The National Health Policy of course is a result of critical examination of the nature, magnitude and root causes of the prevailing health problems of the country and awareness of the newly emerging health problems. The Policy has declared clear general components, priority areas and general strategies.

The general health policy components are:

- ® Democratization and decentralization of the health service system
- ® Development of the preventive and promotive component of health care
- ® Development of an equitable and acceptable standard of health service system that will reach all segments of the population with in the limits of

Priorities of the policy include:



- ® Due attention shall be given to the development of the beneficial aspects of traditional medicine, including related research and its gradual integration in to modern medicine.
- ® Applied health research addressing the major health problems shall be emphasized.
- ® Provision of essential medicines, medical supplies and equipment shall be strengthened
- ® Development of human resources with emphasis on expansion of the number of frontline and middle level health professionals with community based task oriented team based training shall be undertaken.
- ® Special attention shall be given to the health needs of:
 - the family particularly woman and children,
 - those in the forefront of productivity,
 - those hitherto most neglected regions and segments of the population, including the majority of rural population, pastoralists, the urban

poor and national minorities victims of man made and natural disasters.

General Strategies

® Strengthening the preventive and promotive health service

- Family health care
- Community health service
- Occupational health and safety

® Curative and Rehabilitative care

® Assuring availability of Drugs, supplies and equipments

® Health information documentation and processing

®

8.4 Health Service Coverage and Distribution



The Human resource of the country with respect to health is also relatively low compared to the WHO standard. The physical to population ratio is about 1:35604 compared to the WHO standard which is 1: 10,000, Nurse to population ratio is about 1: 4571 where by the WHO standard is 1 5,000. The country is at present having 1996 physicians 15544 Nurses, 683 health officers and around 5215 paramedical (sanitarians, pharmacy and laboratory technicians) according to the 2003/2004 health and health related indicators of Ministry of Health.

The environmental health and hygiene services of the country are also less developed. The percentage of population using improved drinking water source is around 37.3%. The percentage of population using access to excreta disposal is about 28.9%, which is quite lower compared to similar developing countries on the other hand, the maternal and child health service gives special attention nevertheless different indicators are indicating that the service is still poor. The ANC coverage in the country is around 40.8%, the EPI coverage (where it is calculated using DPT₃ only) is about 60.78%.

Hence, the health service coverage and distribution, as seen briefly, is inadequate and needed to improve. Some of the indicators used to assess the service coverage and distribution in health include:

- ® Contraceptive Coverage
- ® EPI Coverage
- ® ANC coverage
- ® Coverage of TT2 to pregnant women
- ® Coverage of TT2 to non pregnant women
- ® Post natal service coverage
- ® Proportion of deliveries assisted by trained health workers
- ® Share of annual health budget
- ® Coverage of TB prevention and control services
- ® Provision of safe and equate water supply
- ® Proportion of the population with access to excreta disposal facilities
- ® Availability of essential drugs and medical supplies in

- ® Each health facility
- ® Drugs prescribed in generic name
- ® Per capital expenditure on health
- ® Blindness prevalence rate
- ® HIV Prevalence rate
- ® EPI defaulters
- ® Defaulters rates of TB and Leprosy

8.5 Exercise

Mention briefly the historical development of health services in Ethiopia.

Suppose you are responsible to lead the activities of a health center,

What are the activities to be accomplished? How do you manage your responsibility?

What are the basic factors that influence health service coverage and distribution in the Ethiopian context?

Discuss on the existing health service coverage and distribution of Ethiopia.

CHAPTER NINE

PRIMARY HEALTH CARE

9.1 Learning Objective:

At the end of this course, the students are expected to:

- £ Define primary health care (PHC) and describe its concept;;
- £ Describe the historical development and challenges of PHC at national and international level;
- £ Describe the components, strategies and principles of PHC,

9.2 Introduction

International conference, organized by WHO and United Nations Children's Education Fund (UNICEF), was held in Alma-ata, Kazakhstan, in 1978 on the theme of 'health for all'. The Alma-Ata Declaration stated that health is a basic human right, and that governments are

responsible to assure that right for their citizens and to develop appropriate strategies to fulfill this promise. The existing gross inequalities in the health status of people, particularly between developed and developing countries as well as within countries are of common concern to all countries. The Conference stressed the right and duty of people to participate in the planning and implementation of their health care; it also advocates the use of scientifically, socially and economically sounds technologies. In order to attain these targets Primary Health Care (PHC) is taken as the appropriate method.

9.3 Definition

Primary Health Care is an essential health care based on practical, scientifically sound, and socially acceptable methods and technology made universally accessible to individuals and families in the community through their full participations and at a cost that the community and the country can afford to maintain at every stage of their development in the spirit of self-reliance and self-determination.

The basic terms in the definition are:

- ® Essential health care: Group of functions essential for the health of the people given at lower level of health service. E.g. Medical care, MCH/FP, school health, environmental health, control of communicable diseases, health education, referral, etc.
- ® Scientifically sound: Scientifically explainable and acceptable
- ® Socially acceptable methods and technology: intervention should consider the local value, culture and belief.
- ® Universally accessible: Because of the inequitable distribution of the available resources, the services are not reachable by all who need them. Only a few can afford or within the reach to use them, while the majority are excluded from the service. Therefore, PHC being health care as close as possible to where people live and work, guarantee universal accessibility.

9.4 Historical development of PHC

The definition of health, in the Charter of WHO as a complete state of physical, mental, and social well-being had the ring of utopianism and irrelevance to states struggling to provide even minimal care in adverse economic, social and environmental conditions. The WHO was concentrating on vertical programs, such as eradication of smallpox and malaria during the 1990s. Hence, the historical development can be presented as follows:

Early Approaches

- ® In the 1950's, there were vertical health service strategies that included mass campaigns, specialized control programs for communicable diseases such as Tuberculosis, Malaria, Sexually transmitted diseases (STDs), etc.; but the strategy was very expensive and so unsuccessful.

- ® The concept of basic health service came into being in the mid 1960s. This gives more attention to rural areas through the construction of health

centers and health stations providing both curative and preventive services.

- ® Early 1970: Integration of specialized disease control programs with basic health services came to appear. However, even this approach was disease oriented, based on high cost health institutions and requires advanced technology.

Summary on the net effect of health services and programs during 1950-1970s

- ® Despite health being a fundamental human right the health status of hundreds of millions people in the world was unacceptable.

- ® In spite of the tremendous efforts in medicine and technology, the health status of people in disadvantaged areas of most countries remained low.

- ® The organized limited health institutions failed to meet the demands of those most in need who are usually too poor or geographically or socially remote to benefit from such facilities (Accessibility).

- ® The health services often created were in isolations, neglecting other sector (Agriculture, Education, Water Supply etc), which are relevant to the improvement and development of health.
- ® Health institutions stressed curative services with insufficient priority to preventive, promotive and rehabilitative care.
- ® The community has already been given the opportunity to play an active role in deciding the types of activities they want and have not participated in the actual services they receive.

All the above facts summed up and led WHO and UNICEF to evaluate and reexamine the existing policies in 1978, Alma-Ata, and the concept of PHC.

9.5 Components of PHC

Essential health care consisting of at least eight elements

- | | |
|---------------------------------|-----------------|
| a) Health Education | c) Immunization |
| b) Provision of essential drugs | d) MCH/FP |

- e) Treatment of common Diseases and injuries
- f) Adequate supply of safe water
- g) Communicable Disease control
- h) Food supply and proper nutrition

Additional elements incorporated after Alma-Ata

- ® Oral Health
- ® Mental Health
- ® Use of traditional medicine
- ® Occupational health
- ® HIV/AIDS
- ® ARI

9.6 PHC Principles

Emphasized principles in PHC are:

- ® Intersectoral collaboration
- ® Community participation
- ® Appropriate technology
- ® Equity
- ® Focused on prevention and promotion of health
- ® Decentralization

Intersectoral collaboration:

Means a joint concern and responsibility of sectors responsible for development in identifying problems, programs and undertaking tasks that have important bearing on human well-being. Intersectoral collaboration is very important, as the intrinsic relationship of health to





At a WHO sponsored meeting on community participation in health, held at Brioni, Yugoslavia, in 1985, two broad and distinct interpretations on community involvement were identified. Those were:

- ® Creating awareness and understanding regarding the causes of poor health, thus making it a basis for their involvement in health related activities.
- ® Ensuring easy access to information and knowledge about health service programs and projects.

Therefore, in this approach, people have the right and duty to actively involve themselves in:

- ® Solving their own health problems
- ® Assessing their health needs
- ® Taking responsibility for mobilizing local resources
- ® Supporting new approaches and solutions to their problems
- ® Creating and maintaining local organizations and
- ® Administration and financing of the health services.

What are the advantages of a community participation approach?

- ® It is a cost-effective way of extending a health care system to the geographical and social periphery of a country.
- ® Communities that begin to understand their health status objectively rather than fatalistically may be moved to take a series of preventive measures.
- ® Communities that invest labor, time, money and materials in health-promoting activities are more committed to the use and maintenance of the things they produce, such as water supplies.
- ® Health education is most effective as part and parcel of village activities.
- ® Community health workers if they are well chosen, have the people's confidence. They may

down working arrangement. The government should assure full political support.

- ® Reorientation of bureaucracy: Bureaucracy has the power to make all decisions. Their role should be changed and they should learn to seek community involvement in health, so that people can determine their own priorities and decide on the process to achieve their goals.
- ® Support to the community in managing health project: management support and guidance should be given to the community to help the people in overseeing primary health care activities in their area.
- ® Inputs,: There should be critical minimum inputs for basic health services, and coverage to ensure co-operation of the community people can be involved in health activities only if these are available to their satisfaction.
- ® Partnership and genuine partnership between health professionals and people is necessary for success.

- ® Leadership individual and collective leadership at the community level should be promoted.
- ® Community involvement: community involvement should be at a realistic level so that it is sustainable and durable.
- ® Decentralization: There should be decentralization of administrative and decision-making function. This should be accompanied by shift of resources to the locality.
- ® Safeguards: sufficient safeguards should be built in to prevent local political elite from exploiting the resource for their own ends.

Appropriate Technology

- ® It takes account of both the health care and the socio-economic context of the country.
- ® This must include consideration of cost (efficiency and attractiveness) in dealing with the health problem.
- ® It should also take consideration of the acceptability of the health care approach to both target community and health service technology; and it does not necessarily mean low cost.

Criteria for Appropriateness: To be appropriate, a technology must be

- ® Effective: meet its objective
- ® Culturally acceptable and valuable
- ® Affordable
- ® Locally sustainable: we should be not over dependent on important skills and supplies for its continuous function, maintenance and repair.
- ® Environmentally accountable: The technology should be environmentally harmless or at least minimally harmful.
- ® Measurable: - The impact and performance of technology should be measurable.

Equal Health



Equal utilization of health care → Equity ← Equal access to health care

While planning for equity in PHC, one requires the identification of groups, which are currently disadvantaged in terms of health service access, and utilization of service. Generally, it implies that the rural and peri-urban poor population should also have a reasonable access to health service.

Decentralization

- ® It is sharing and transferring power and decision away from the center to the periphery.
- ® It brings decision closer to the communities served and the field level providers of services.
- ® It leads to greater efficiency in service provision

Focus on prevention

In addition to the fact that prevention is better and easier than cure, the main health problems plaguing developing countries are (and still are) of preventive in

nature. For instance, 75-80% causes of morbidity and mortality in Ethiopia are communicable diseases.

9.7 PHC Philosophy and strategy

Health for all, is justified on the Alma-Ata Declaration as a “fundamental human right” on the basis of equity and or economic and social development. PHC is not more medicine for the poor and it should not be considered to mean a second-class health service meant for rural population. It is an essential health service value for all countries from the most to the least developed ones. In fact, it is particularly a burning necessity for developing countries. Therefore, PHC as a philosophy includes

- ® Equity and Justice
- ® Individual and community self reliance
- ® Inter relationship of Health and Development

PHC Strategy

- ® Changes in the Health care system
 - Total coverage with essential health care
 - Integrated system

- Involvement of communities
- Use and control of resources
- Redistribution of existing resources
- Reorientation of Health manpower to PHC
- Legislative changes- Health policy should address the need of the strategy of PHC.
- Design, planning and management of Health system

Individual and collective responsibility for Health

1st Aspect: is a political issue: - Decentralization of decision-making

2nd Aspect: Realization: - Personal responsibility for their own and their families health.

NB: It is important to have informed and motivated public on the practice at both aspects.

® Intersectoral Action for Health

The practical action for this is attention of over all economic development more consciously and directed towards the maximization of health and sharing awareness at the community level, health center, MOH etc.

9.8 PHC in Ethiopia

As one of the countries who signed the 1978 Alma-Ata Charter, Ethiopia has also adopted the declaration of “Health for All” using the PHC strategy. The activities include:

- ® Education on the prevailing health problems and methods of prevention and controlling them,
- ® Locally endemic diseases prevention and control,
- ® Expanded program on immunization,
- ® Maternal and child health including family planning,
- ® Essential drugs provision,
- ® Nutrition promotion and food supply,
- ® Treatment of common diseases and injuries, and
- ® Sanitation and safe water supply

Since 1980, PHC has been the main strategy on which the health Policy has been based. As part of a WHO sponsored international evaluative action, primary health care review was done in the country in the period of August 1984 - January 1985.

The reviewed showed

- ® Expansion of health services to the broad masses especially by establishing new health station and health posts.
- ® Modest achievements in the control of diarrheal diseases and iodine deficiency disorders and training on provision of essential drugs.

However, there were limited achievements regarding intersectoral collaboration, community involvement, both supporting and utilizing of the services. Moreover, there was over-ambitiousness in setting plans and goals.

Generally the major problems in the implementation of PHC in Ethiopia are:

- ® Absence of infrastructure at the district level,
- ® Difficulty in achieving intersectoral collaboration,
- ® Inadequate health service coverage and inappropriate distribution of available health services,
- ® Inadequate resource allocation

- PHC is not cheap. Initially PHC programs are expensive.

- ® Absence of clear guidelines or directives on how to implement PHC.

- ® Presence of culturally dictated harmful traditional practices of unscientific beliefs and practice in Ethiopia.

- ® Absence of sound legal rules to support




CHAPTER TEN

COMMUNITY BASED HEALTH SERVICES

10.1 Learning objectives

At the end of this course, the students are expected to:

- ® Describe the responsibility of the community in the health care system.
- ® Describe the community involvement in the health deliveryc-0.0ie



representatives and with the guidance of professional



multiproblem families in an inner-city poverty area, STD follow-up, and promotion of immunization

Health Service Extension Package (HSEP)

The main objective of HSEP is to improve access and equity to preventive essential health intervention through community/kebele based health services with strong focus on sustained preventive health actions and increased health awareness. The health extension service is being provided as a package focusing on preventive health measures targeting households particularly women/mothers at the kebele level.

Definition

It is a package of services that includes provision of immunization, prevention, control and treatment of malaria, prevention of HIV/AIDS/STDs, tuberculosis, provision of oral contraceptives, deliveries, follow up of

health services with strong focus on sustained preventive health actions and increased health awareness.

10.3 Community responsibility

Need, demand, custom and general development have led society to accept certain health services as a community responsibility on behalf of the total citizens. As the population increases and tends to concentrate in urban centers, some new health problems that have long been with communities become more complex and more difficult to manage. If community health problems of today are more complex, society has advanced technology in dealing with some of them.

Most community health services directly or indirectly will be of value to all citizens but of greater value to lower income group than to the higher income group.

10.4 Community Health Councils

On the country level, health councils have been valuable in coordinating the health services of various agencies



10.5 Community involvement in health (CIH)

The idea of community involvement in health (CIH) emerged as a result of concern to encourage local participation in all aspects of development, including health development. It means local participation in the design and delivery of health care services. In most areas of development, preference seems to be given to the term 'community participation' because of its deeper implications.

Community participation: There are a variety of different interpretations of the concept of participation. It is important to reduce the different views of concept of participation by distinguishing two broad, but very different categories of interpretations as the two ends of a continuum: participation as a means and participation as an end.

Participation as a means: Health development is an important element in the development process in general and is therefore influenced in practice by different perceptions of what constitutes development and what causes under development. Until recently, early 1970s, the development process was largely

participation, responding to local needs and changing circumstances.

Generally, participation as an end in itself presupposes the building-up of influence or involvement from the bottom upwards. As a result, this form of participation has come to be associated with development activities along with the formal government sector, and is concerned with building up pressures from below in order to bring about change in existing institutional arrangements.

10.6 Team Approach in Health Service

10.6.1 Need for the Health service team

In order to effectively respond to identified needs, health persons must be able to work within a team framework in which problem solving is approached in an integrated manner.

A health team must be in a position to effectively communicate information to communities and individuals and develop mechanisms, which facilitate their involvement in all health activities. A health team must also establish communication links with other sectors

and promote intersectoral collaboration. The need for a better-integrated health care team occurs because of

Poor communication: - Lack of integrated record keeping system result in an uneven and incomplete exchange of information among the professionals who provide health care services.

Duplications of services: Lack of coordination and communication at times leads to duplication of services. For instance, if service provider does not have access to test results previously ordered, a request will be made for new test. Diagnostic tests and other services may be repeated by several service provides, resulting in excess cost and additional stress for the patient. Errors and inappropriate therapy from prescription of medication may occur when more than one health professional are prescribing drugs for a patient.

Lack of patient focus: Patients are seeking continuity and coordination of care, competence, accessibility and timeliness, reasonable cost and some sense that some one in the “system” cares about them. When health care professionals do not work well together, patients feel that commitment to them as individuals in need of care is lost.

10.6.2 The health Team

The health team may be defined as a group of people who share a common health goal and common objectives, determined by community needs, to the achievement of which each member of the team contributes, in accordance with his/her competence and skill and in coordination with the functions of others.

All personnel working in the primary health care post, sub-center or center constitute the health team. The term does not refer only to the personnel concerned with the health care directly, such as medical officers, nurses, auxiliary nurses, midwives, sanitarians, and traditional or trained birth attendants, but also comprises of health care workers as well as other supporting personnel including, divers, clerks, storekeepers and other persons working in the health institution.

Competence of health care team: No one model is appropriate for the variety of settings in which team delivered health care operates. Membership of the team, and i68 u819h5u Tccard healsther petes,e -

population; or clinic based . . . providing services to individuals with severe chronic diseases; or hospital based . . . furnishing care to the most severely ill, in an intensive care unit. However, the absence of a single model does not mean that good teams share no common attributes.

The following are key characteristics of a well functioning health care team

Patient centered focus: A good team must have as its first priority meeting the patient's need. A team with a patient centered focus will consider and respect the patients values and preferences when making care decisions.

Establishment of a common goal: If the patient's needs are to be the focus, it is critical that all team members know what a successful outcome for each patient's care will be. At times a successful outcome may not be self-evident. For example, health care professionals treating a critically ill patient may work at cross purposes if some feel the patient should be treated aggressively while other feel that the patient should only receive palliative care. Such confusion may be avoided only through an explicit process for goal

mechanism, clearly understood by all, for resolving conflict, through a team leader, outside leader, or other process.

Development of effective communication: Good health care team communication involves at least two components . . . a shared, efficient and effective reward keeping mechanisms, electronic or other, and a common vocabulary.


Shared Responsibility for team Action: Effective team functioning can occur only if each team member shares fully the responsibility for actions of the team as a group . . . and is willing to be held accountable to these actions. Understanding of such responsibility requires of course confidence in the abilities of the other team members, good communication and agreement up on a common goal.

Evaluation and Feedback: Team design must be dynamic open for evaluation and revision on a continuing basis. A model that worked previously may no longer be obtained, as there is change in the patient's needs, the health care delivery system or the expertise of team members. A specific mechanism must

be developed for ongoing evaluation of a team's effectiveness and redesign activities where needed.

10.6.3 Leader of the health Team

The health team should have a leader, who should inspire confidence in the community, which needs and



responsibility and authority to carry out the jobs assigned to them.

Approachability: The team leader should be easily approachable, so that the team members can reach him and seek his help and guidance for solutions to their personal, technical and official administrative problems. He should earn respect from his juniors and not command it by creating awe and by his blistering behavior.

Competence: The leader should be competent in his own technical work, so that his teammates respect him for his knowledge and skills.

Disciplined and well organized/dish0ag.te9T.48361 0 TD0.0009 Tw[.4(team lea



with routine activities, because he must have time to think, plan and co-ordinate the work of his teammates.

Delegation of responsibility and authority by the team leader to the health team is equally important in the primary health care setting. The efficiency of the health care system improves since it saves time of the leader, particularly if the catchment area under him is large.

Supervision of the health team: For accomplishing the desired result, activities of different members of the team need to be co-coordinated. Health team is like a chain; one weak link in the chain breaks the entire chain. A good leader identifies the weak links by constant supervision at regular intervals.

The leader of the team should prescribe the proper norms of performance and define the time period during which the specific job should be completed. The workers should be made fully aware of what is expected of them. The supervision should then review their work by analyzing the tasks completed in the given time in relation to the expected quality of work and standard of performance.

Supervisory style: Depending on the nature of the team, the team leader may be an autocrat or a

democrat. Authoritative or autocratic and democratic or consultative style of supervision has a distinct place and role in taking management decisions.

The autocratic style of supervision is more suitable, when the results proposed to be accomplished have to be consistent and uniform and need to be achieved quickly, such as health problems due to epidemics rages of war and natural disasters.

It is good to apply democratic styles of supervision when the colleagues in the team are well educated, competent, reliable and experienced. In a consultative style of supervision, the workers shoulder greater responsibility and give their best to the organization.

Span of control of the supervisor: For the best result, the span of direct control of the supervisor should be restricted to about six to ten persons. But a good manager may be able to extend his supervisory span indirectly by delegating some of his supervisory change to appropriate workers lower in the line of command.

Co- ordination between the team members: the supervisor of the team should ensure that individuals in the health team cooperate with each other and coordinate their activities to accomplish the desired



GLOSSARY

Acute Respiratory Tract Infection (ARI): is an acute infection of any part of the respiratory tract and related structures including Para nasal sinuses, middle ear and the pleural cavity. It includes all infections of less than 30 days duration except those of the middle ear where the duration of and acute episode is less than 14 days.

Aging: is a series of progressive and irreversible biological changes that result in reduced ability to progress, starts in adolescence or early adulthood, the pace of deterioration of different body systems varies considerably, and is influenced by behavioral and socioeconomic forces.

Anthropology: is a Greek word i.e. “the study of man”. This discipline is called as the most scientific of the humanities and the most humane of the sciences.

Appropriate Technology: an intervention, medication, device, or service meant to reduce morbidity and mortality, to improve health status, and to promote efficient use of resources that is in keeping with the financial ability of a country.

Demography: has Greek origins, demos (people) and graphein (to draw, describe). This is a study of population, especially with reference to size and density, fertility, mortality, growth, age distribution, migration, and vital statistics, and the interaction of all these with social and economic conditions.

Development: is the process of unfolding itself or growing into a fuller or mature condition; it is a process of growth in the direction of modernity, especially towards nation-building and socio-economic progress.

Disaster: is the combination of dis+astrum, meaning unfavorable aspect of a star; anything that befalls of ruinous or distressing nature; a sudden or great misfortunate, mishap, or disadvantage; a calamity. A disaster is an event that causes widespread destruction or distress and that usually occur suddenly or over a short period of time. It is also defined as “ a disruption of the human ecology that exceeds the capacity of the community to function normally.”

Ecology: is the study of the relationship among living organisms and their environment. Human ecology means the study of human groups as influenced by environmental factors, including social and behavioral factors. Ecology is the science that deals with inter-

relationships between the various organisms living in an area and also their relationship with the physical environment.

Environment: refers to surroundings or the conditions



Essential Drugs: are those that satisfy the health care needs of the majority of the population; those therapeutic substances that are indispensable for the rational care of the majority of diseases in a given population.

Ethnography: has its roots in social anthropology which traditionally focuses in small scale communities that were thought to share culturally specific belief and practices.


Family: a group of persons united by blood, adoptive, marital, or equivalent ties, usually sharing the same dwelling unit. The **extended family** is multigenerational; the **nuclear family**, in contrast, is a single generation family, usually husband-wife-children, but is often headed by a single parent.

Germ theory: the theory that specific microorganisms cause characteristic infectious diseases. This in contrast to miasma theory which attributed disease to influences spread in the air as a result of decaying organic matter.

Globalization: is the process of increasing economic, political, and social interdependence that takes place as capital, traded goods, persons, concepts, images, and values diffuse across the state boundaries.

living modified agent, a suspension of killed organisms (E.g., pertusis), a non infective portion of an infective agent(e.g. ,hepatitis B), or an inactivated toxin(e.g. , tetanus toxoid) .

Intersectoral Collaboration: is referred to the activities involving several sectors of the government, e.g., health, education, housing, industrial, etc., that, working together, can enhance health conditions more effectively than when working independently of one another.






of health. It links many disciplines and rests up on the scientific core of epidemiology”; predominantly observational and committed to health of the populations. Ultimately, its many components must accommodate multiple causes acting in the dimensions of time, space, and structure, and thus at several relevant levels of organization (from molecules to the encompassing environment).

Rehabilitation: is the process of restoring a person’s social identity by repossession of his/ her normal roles and functions in society.

Reproductive Health: World Health Organization (WHO) has defined reproductive health as follows: “within the framework of WHO’s definition of health as a state of complete physical, mental, and social well being, and not merely the absence of disease or infirmity; reproductive health addresses the reproductive processes, functions and systems at all stages of life. Reproductive health therefore implies that people are able to have a responsible, satisfying and safe sex life and that they have the capability to reproduce and the freedom to decide, if when, and how often to do so. This definition focuses on right of men and women to be informed of and to have access to safe, effective,

affordable, and acceptable methods of fertility regulation of their choice, and the right of access to appropriate health care services that will enable women to go safely through pregnancy and child birth and provide couples with best chance of having a healthy infant.”

Strategy: is the determination of the basic long-term goals of an organization or government and the adoption of courses of an action and the allocation of resources necessary for carrying out these goals.



REFERENCES

1. Challi Jira, Amsalu Feleke, Getnet Mitike (2003) Health Science Management for Health Science Students. Lecture Note Series. Jimma University: Faculty of Public Health.
2. G. P. Ranken, R. Amonoo – Laptaskan, G.J. Ebrahim, H.H. Level: District Health Care Challenges For Planning, Organization, And Evaluation for Developing Countries; Macmillan 2nd Edition 1996
3. Getnet Mitike (2003), Health Education for Health Science Students. Lecture Note Series. Addis Ababa University-Department of Community Health.
4. Green, Anderson. Community Health, 4th edition.
5. Gupta. Essential Preventive Medicine
6. Health and Health Related indicators 2003/2004. By the Federal Ministry Of Health
7. Helen M.W. et al, (1995). Health care of women and children in developing countries, 2nd edition, California, USA

9. Kishore (2002).A Dictionary of Public Health. New Delhi, India.
10. Kishore, J.A. (2002) dictionary of public health
11. Last John M. (1995) A Dictionary Of Epidemiology, 3rd Edition. New York Oxford University Press
12. Lily Pritam Telu Ram (1993) Environmental Health and Hygiene, 2nd Edition, Vikas Publishing House Pvt Ltd
13. Michael H.M & et al, (2001). International Public Health: Diseases, Programs, systems, and policies. Maryland, USA.
14. Michael M, Richard G. W., (1999). Social determinants of health. Oxford university press.
15. Ministry of Health Kenya and Training Department AMREF (1994): Health Service Management, Vol. 1
16. MOH (1993), Health Policy of Transitional Government of Ethiopia, Addis Ababa.
17. N S. Parmar (2001). Health Education & Community Pharmacy. New Dehili, India.
18. Peter Oakly Community involvement in health development .WHO, Geneva.
19. Teweldebrhan H, (2001), Community Based Health Care Program management training manual, unpublished.



AUTHORS

Gebrezge Gidey (M.D., MSc, DLSHTM)

Assistant professor in the department of public health, college of health sciences, Mekelle University. He is dean of college of health sciences. He obtained his M.D from AAU and his M.SC from London School of Hygiene and Tropical Medicine. He has worked in several positions and responsibilities in different organizations.

Sadik Taju (MD)

Assistant lecturer in the Department Of Public Health, College Of Health Sciences, Mekelle University. He obtained his M.D from Jimma University in 1996 E.C and then joined Mekelle University and currently working in the community health department.

Seifu Hagos (B.SC)

Assistant lecturer in the Department Of Public Health, College Of Health Sciences, Mekelle University. . He obtained his BSc in Public Health from Alemaya University in 1994 E.C He has worked in Relief Society of Tigray as public health expert and Joined Mekelle

university. He is currently attending his M.PH course at AAU.

